

TNTB&ESC – Procurement of Automatic Electrical Sanitary Napkin Incinerators

Pre-Bid Meeting held on 20.03.2018 at 3.00 p.m

Sl.No.	Queries Raised	Clarification for Remarks
1.	1. What is the final quantity allotted to L1 bidder.	Bid condition confirmed
	2. Is there any possibility to a. Revise the lead time. b. Split the tender. c. Revise the Tech. Specification (Or the one given in the bid is final) d. Revision in quantity of requirement.	Bid condition confirmed
	3. The Dimension of Machine is not given in the bid.	Machine Dimensions should confirm to optimum safe working condition as per tender specification.
	4. Power Point Provision is in under whose scope of work. It is not given, In some places we may have to draw a Power Point to the spot of fixing the Incinerator. The length will vary from Place to Place. Ideally it will be in the scope of the local body. To avoid complication on either side, preferably the points are determined and Power point is provided.	Power connection point will be available in the schools.
2.	Delivery Time (Instead of 120 days) Need Batch delivery	Bid condition confirmed
3.	When we show the bank facility of 1 Crore before Tender Date (or) After? Shall we apply for 60% of quantity or 100% only. When will we know the Installation locations. Shall we responsive for Electrical line also.	Bid condition confirmed
4.	1. Document fee Rs.15,750/- is it to be paid if downloaded from website with tender document.	Bid condition confirmed

	2. It there any Dimension Criteria.	Machines dimensions should confirm to Optimum safe working condition as per tender specification.
	3. If the Machine is having higher specification than the required Technical Specification is it acceptable or not.	Confirm to Tender Specification
	4. Is the time period of 120 days is for the total quantity of the order or specified quantity for 120 day period	Bid condition confirmed
5.	Give chance to Co-operative Society (Kendriya Bhandar) for supply of Machines.	Bid condition confirmed
6.	1. Clear Dimensions for Machine.	Machine dimensions should confirm to safe working condition as per tender specification
	2. 1.2 m.m M.S (or) S.S ?	
	3. Smoke pipe materials	
	4. As stated in the tender bid, we are disappointed to find that consortium bids are not acceptable. While it was applicable to many other tenders before, why not for this tender and it would have been very beneficial if consortium is allowed as the value is quite high and the time duration of supply is considerably less.	Bid condition confirmed
	5. Most importantly, when there is huge benefit offered to Micro and Small Enterprises when registered with NSIC which is a single point registration scheme viz. exemption of tender fee and EMD, why this is not made applicable for this tender?	As per the provision under rule 14(1) of Tamil Nadu Transparency in Tenders Rules 2000, any category of tenderers specifically exempted by the Government from the payment of EMD are not required to make the deposit along with the bid.
	6. The period of supply and installation of 100% of the ordered quantity mentioned as 120 days is relatively very short and request is made to make considerable changes in that.	Bid condition confirmed
	7. Payment terms as per the tender is absolutely not lenient as it will be a great burden for a manufacture to process the order without any encumbrance if he can raise the bill only after the supply and installation of all the machines mentioned in the purchase order. We would request stating that it would be hassle free if the payment is released for supplies in batches of considerable no. of machines within a period of time.	Bid condition confirmed

7.	1. One year returns to be eligible.	Bid condition confirmed
	2. Based on Quality and Service can be eligible.	
	3. Completion Time.	
	4. Single order or distributed.	
	5. List of places.	
	6. Specific Specifications.	Machine dimensions should confirm to optimum safe working condition as per tender specification.
	7. OEM Mandatory	Bid condition confirmed
8.	1. Steel made out what 1.2 MM. Whether mild steel or stainless steel if Stainless Steel then whether quality – 304 / or 316.	Confirm to the Tender Specifications
	2. Pipes – Exhaust – Specifications of Printers.	Confirm to the Tender Specifications
	3. Specification of flexible steel hose.	
	4. Power cord specifications.	Confirm to the Tender Specifications
	5. If M.S then CR sheet or Zink Coated sheet or Colour Sheet.	
	6. If Zink Coated How much Zink per square meter i.e., R- 300/400/450/600/750gms	
9.	1. Consortium bids are not acceptable, the product distributors are how to participate in tender ?	Bid condition confirmed
	2. Warranty : 1 year for manufacture defects. 6 months for Electrical items	
	3. School “HM” can be responsible for delivery, Installation of m/c – acceptance for bills clearance also his acceptance is enough instead of CEO.	
	4. Supply time: 120 – 150 days required.	
	5. Security Deposit : 0.5% instead of 5% of value, and it for 6 months.	
	6. Payment Advance = % Against supply = % Final Payment = %	
	7. List of school details required.	
10.	Capacity mentioned as 5 to 10 pads per cycle with minimum of 200 pads / day. Shall we consider this as minimum requirement? If our machine is having a capacity of 15 to 20 pads per cycle with minimum of 200 pads / day is acceptable?	Confirm to the Tender Specification.
11.	1. It is going to be a single order for all 4161 units or RC for one year. IN your payment term, only a single bill for all 4161 units to be given on completion.	Bid condition confirmed

	2. Can the EMD be exempted for SSI units by T.N.	As per the provision under Rule 14(1) of the Tamil Nadu Transparency In Tenders Rules, 2000, any category of tenderers specifically exempted by the Government from the payment of EMD are not required to make the deposit along with the bid.
	3. The running feet of G.I. Pipe Line to let out the smoke depends on the place of installation which will vary. Can this piping cost be excluded from taking into account on L1. Only the machine cost to be taken as L1 at decided.	Bid condition confirmed
	4. To give weight age for established units can be the supply eligibility be increased manufactures to have supplied minimum 50% of the quantity tendered in the last 2 years.	
	5. Manufacturer should have been in the field at least for a period of 3 years as proof on a SSI Certificate.	
	6. What is the tender value.	Confirm to Tender Specification.
	7. Steel. M.S or S.S.	
12.	Why First time manufacturers who has the experience of designing for more than two decades cannot / can participated for this tender if they fit in quality norms or even have U.S.P. which is not in any brand.	Bid condition confirmed
13.	Tender Condition 1. 10% of quantity supply can it be incurred.	Bid condition confirmed
	2. If turnover condition can be waived 1 core to 50 lakhs	
14.	1. EMD exemption available for NSIC for & MSME Certificate holder.	As per the provision under Rule 14(1) of the Tamil Nadu Transparency in Tenders Rules, 2000, any category of tenderers specifically exempted by the Government from the payment of EMD are not required to make the deposit along with the bid.
	2. Total Project Estimation value.	Bid condition confirmed
	3. Geo Tag Technology can be applied.	Confirm to the Tender Specification

	4. Machine Dimension.	Machine dimensions should confirm to optimum safe working condition as per tender specification.
	5. Quantity per District wise .	Bid condition confirmed
15.	1. What is the time line to deliver the product.	Bid condition confirmed
	2. Shall we supplied partially.	
	3. What is the ending supply date.	
16.	1. Private Work Order is OK ? for 3 years ? 2. Lab Equipment list what are they.	Bid condition confirmed
	3. Exemption for EMD?	As per the provision under Rule 14(1) of the Tamil Nadu Transparency in Tenders Rules 2000, any category of tenderers specifically exempted by the Government from the payment of EMD are not required to make the deposit along with the bid.
	4. Testing of sample who will do? Whether manufacture (or) Corporation Lab?	Bid condition confirmed
	5. Order will be in the mentioned quantity 4161? or spilited order will be given.	
	6. Specification of machine not in clear?	Machine Dimension should confirm to optimum safe working condition as per tender specification.
17.	PDF Format – Annexures filling the blanks. 1. Shall we use PDF editor to fill in the blanks ? Or 2. We should fill in with ink pen ? 3. The Annexures and documents should be printed in Company letter head or Plain white paper? 4. Performance Certificate from one supplier is ok or more required?	Bid conditions confirmed
	5. Documentary proof for manufacturing of Automatic Electrical Sanitary Napkin Incinerators at least 3 year. Proof ISO – Certificate is OK ? Or Any other Production document required.	Bid conditions confirmed

	<p>6. Payment Terms 80% - How many days after Installation. 10% - How many days after Installation. 10% - How many days after Installation.</p> <p>7. Location of all schools, Higher Secondary? 8. About Electrification 15 A Socket 9. Electrical Provisions in School – whose responsibility. 10. The socket box has to be 15A withstanding. Who will ensure.</p>	<p>Bid conditions confirmed</p>														
<p>18.</p>	<p>1. What is the approximate size of machines ?</p> <p>2. Which type of metal can we use machines. Steel / mild</p>	<p>Machine Dimensions should confirm to optimum safe working condition as per tender specification.</p>														
<p>19.</p>	<table border="1"> <tr> <td data-bbox="256 779 609 891"> <p>1.Performance Certificate.</p> </td> <td data-bbox="609 779 1003 891"> <p>One Performance Certificate is ok or more required.</p> </td> </tr> <tr> <td data-bbox="256 891 609 1189"> <p>2.Annexures 1 - XII</p> </td> <td data-bbox="609 891 1003 1189"> <p>1.PDF format should be downloaded in Tenderer / Supplier Letter head or in Bonded paper. To fill in columns shall be Hand written using Indelible Pen or Typed at fill in columns.</p> </td> </tr> <tr> <td data-bbox="256 1189 609 1447"> <p>3.Audited Balance sheet and Profit and Loss statement as per Annexure III</p> </td> <td data-bbox="609 1189 1003 1447"> <p>As per annexure it is given 2013-14 values shall be given ? 2014-15 2015-16 2016-17</p> </td> </tr> <tr> <td data-bbox="256 1447 609 1559"> <p>4.Documentry evidence in support of the production capacity of the tenderer is enclosed.</p> </td> <td data-bbox="609 1447 1003 1559"> <p>1. Self declaration by our MD ok?</p> </td> </tr> <tr> <td data-bbox="256 1559 609 1632"></td> <td data-bbox="609 1559 1003 1632"> <p>2. What else documents to be given?</p> </td> </tr> <tr> <td data-bbox="256 1632 609 1783"> <p>5. Whether the Tender document in original are duly signed in each page</p> </td> <td data-bbox="609 1632 1003 1783"> <p>In Tender letter head to be taken or plain Bonded paper ok?</p> </td> </tr> <tr> <td data-bbox="256 1783 609 2027"> <p>6. Documentary proof for manufacturing of Automatic Electrical Sanitary Napkin Incinerator at least 3 year</p> </td> <td data-bbox="609 1783 1003 2027"> <p>1. Shall we give ISO Certificate as a proof ? 2.What else documents to be given?</p> </td> </tr> </table>	<p>1.Performance Certificate.</p>	<p>One Performance Certificate is ok or more required.</p>	<p>2.Annexures 1 - XII</p>	<p>1.PDF format should be downloaded in Tenderer / Supplier Letter head or in Bonded paper. To fill in columns shall be Hand written using Indelible Pen or Typed at fill in columns.</p>	<p>3.Audited Balance sheet and Profit and Loss statement as per Annexure III</p>	<p>As per annexure it is given 2013-14 values shall be given ? 2014-15 2015-16 2016-17</p>	<p>4.Documentry evidence in support of the production capacity of the tenderer is enclosed.</p>	<p>1. Self declaration by our MD ok?</p>		<p>2. What else documents to be given?</p>	<p>5. Whether the Tender document in original are duly signed in each page</p>	<p>In Tender letter head to be taken or plain Bonded paper ok?</p>	<p>6. Documentary proof for manufacturing of Automatic Electrical Sanitary Napkin Incinerator at least 3 year</p>	<p>1. Shall we give ISO Certificate as a proof ? 2.What else documents to be given?</p>	<p>Bid conditions confirmed</p> <p>Bid conditions confirmed</p>
<p>1.Performance Certificate.</p>	<p>One Performance Certificate is ok or more required.</p>															
<p>2.Annexures 1 - XII</p>	<p>1.PDF format should be downloaded in Tenderer / Supplier Letter head or in Bonded paper. To fill in columns shall be Hand written using Indelible Pen or Typed at fill in columns.</p>															
<p>3.Audited Balance sheet and Profit and Loss statement as per Annexure III</p>	<p>As per annexure it is given 2013-14 values shall be given ? 2014-15 2015-16 2016-17</p>															
<p>4.Documentry evidence in support of the production capacity of the tenderer is enclosed.</p>	<p>1. Self declaration by our MD ok?</p>															
	<p>2. What else documents to be given?</p>															
<p>5. Whether the Tender document in original are duly signed in each page</p>	<p>In Tender letter head to be taken or plain Bonded paper ok?</p>															
<p>6. Documentary proof for manufacturing of Automatic Electrical Sanitary Napkin Incinerator at least 3 year</p>	<p>1. Shall we give ISO Certificate as a proof ? 2.What else documents to be given?</p>															

	7. Location of Schools, Electrical Facilities, Contact person required.		Bid conditions confirmed
	8. Covering Letter	About the Company ?	
	9. Payment details	More clarification required.	

Sd/-
Managing Director/
Tender Inviting Authority
Tamil Nadu Textbook and
Educational Services Corporation
Chennai-6